	Application No.	Applicant(s)	UNA	
Notice of Allowability	10/065,108	BUNKER, RONALD	SCOTT	
	Examiner	Art Unit	333.	
	Ted Kim	3746		
The MAILING DATE of this communication ap All claims being allowable, PROSECUTION ON THE MERITS I herewith (or previously mailed), a Notice of Allowance (PTOL-8 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.3  1. This communication is responsive to 03/19/2004.	S (OR REMAINS) CLOSED i 5) or other appropriate comm <b>RIGHTS.</b> This application is	n this application. If not include unication will be mailed in due o	d course. <b>THIS</b>	
2. X The allowed claim(s) is/are 1, 3-6, 11-15, 23, 24.				
3. ⊠ The drawings filed on <u>18 September 2002</u> are accepted	by the Examiner.			
<ul> <li>4. Acknowledgment is made of a claim for foreign priority</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents hat</li> <li>2. Certified copies of the priority documents hat</li> <li>3. Copies of the certified copies of the priority of International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	ive been received. Ive been received in Applicati	on No	ion from the	
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the req	uirements	
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
<ol> <li>CORRECTED DRAWINGS (as "replacement sheets") m</li> <li>(a) ☐ including changes required by the Notice of Draftspe</li> <li>1) ☐ hereto or 2) ☐ to Paper No./Mail Date</li> <li>(b) ☐ including changes required by the attached Examine Paper No./Mail Date</li> </ol>	erson's Patent Drawing Revie 			
ldentifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such i	t 1.84(c)) should be written on t n the header according to 37 C	the drawings in the front (not the FR 1.121(d).	back) of	
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/Staper No./Mail Date	8) 6. ☐ Interview S Paper No B/08), 7. ☐ Examiner's	nformal Patent Application (PTC Summary (PTO-413), /Mail Date s Amendment/Comment s Statement of Reasons for Allow		

Application/Control Number: 10/065,108

Art Unit: 3746

## **REASONS FOR ALLOWANCE**

1. The following is an examiner's statement of reasons for allowance: the prior art of record do not fairly teach in permissible combination the claimed invention. Applicant's arguments concerning the applied references are persuasive. When further considering in the combination of references that the center to center distance range is in the Glezer et al reference and the ratio for channel height to concavity diameter is in the JP '901 reference, the combination of ranges while known individually in the art are not taught in permissible combination with being applied to both of the inner and outer surfaces of the cooling channels.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Contact Information

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Ted Kim whose telephone number is 703-308-2631. The Examiner can be reached on regular business hours before 5:00 pm, Monday to Thursday and every other Friday.

The fax numbers for the organization where this application is assigned are 703-872-9306 for Regular faxes and 703-872-9306 for After Final faxes.

703-308-2631

Application/Control Number: 10/065,108

Art Unit: 3746

m

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine Yu, can be reached on 703-308-2675.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist of Technology Center 3700, whose telephone number is 703-308-0861.

General inquiries can also be directed to Technology Center Customer Service

Office at 703-306-5648 or the Patents Assistance Center whose telephone number is 800786-9199. Furthermore, a variety of online resources are available at

http://www.uspto.gov/main/patents.htm

Ted Kim	Telephone
Drimary Evaminar	Fax (Regula

Primary Examiner	Fax (Regular)	703-872-9306
April 2, 2004	Fax (After Final)	703-872-9306
Technology Center 3700 Receptionist	Telephone	703-308-0861
Technology Center 3700 Customer Service	Telephone	703-306-5648
Patents Assistance Center	Telephone	800-786-9199